<u>ANNEXURE-I</u>

INSTRUCTION FOR AWARD OF MARKS UNDER INTERNAL ASSESSMENT

- 1. The internal assessment marks out of maximum mark of 20 shall be awarded to all students who have been assessed through out the academic session.
- 2. The assessment will be done under the following heads : -
 - (a) Periodic Assessment : The periodic assessment will be done under the following two sub heads carrying 5 mark each.
 - [i] Pen & Paper Test : Average of all unit tests conducted in the school in different subjects converted out of 5 marks.
 - [ii] Multiple Assessment : Marks under multiple assessment shall be awarded out of maximum of 5 marks. The activities under the sub head include quizzes, oral tests, concept maps, exit cards, visual experiments etc.
 - (b) Port Folio: The assessment under this head will be done out of 5 marks which includes class work, peer assessment, self assessment, reflections, narrations, journals, achievement of students in the subject etc.
 - (c) Subject Enrichment Activity : The assessment under this head will be done out of 5 marks which includes speaking & listening skills, practical lab work, maths lab practical, map work, project work etc.

INSTRUCTION FOR AWARD OF GRADES UNDER CO-SCHOLASTIC ACTIVITIES

- 1. The Co-Scholastic Activities of the students shall be assessed in four parts on a five point grading scale once in a session. The assessment shall be done in the following four parts.
 - (A) Live Skills :

The live skills consist of

- [i] Thinking Skills
 - Self awareness
 - Problem solving
 - Decision making
 - Critical thinking
 - Creative thinking
- [ii] Social Skills
 - Inter personal relationships
 - Effective communication
 - Empathy
- [iii] Emotional Skills
 - > Managing emotions
 - Coping with stress
- (B) Work Education :
- (C) Visual & Performing Arts :
- (D) Attitudes & Values :
 - Attitude towards teachers
 - Attitude towards schoolmates
 - Attitude towards school programme
 - Attitude towards environment
- 2. Five Point Grading Scale :

Grades	Description	Mark Range
A	Outstanding	90 - 100
В	Excellent	75 - 89
С	Very Good	56 – 74
D	Good	35 – 55
E	Scope for improvement	Below 35